

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




62.83

1948

**PIRTLE'S**

**CACTUS GARDEN**

**J. R. PIRTLER & SONS**



**Native & Exotic Cacti & Other  
Succulents**

---

**Retail Price List**

---



**LOWER RIO GRANDE VALLEY**  
**Morningside Blvd. at Wisconsin**  
**EDINBURG, TEXAS.**

## ИЗДАНИЯ СУДОВОДА

9708 34732


232 1829

卷之三

## YALIN (YU) AND THE ANGOLI

1926-1927 學年上學期





PIRTLE'S CACTUS GARDEN  
J. R. PIRTLE & SONS,  
Morningside Blvd. at Wisconsin  
EDINBURG, TEXAS.  
NATIVE & EXOTIC CACTI AND  
OTHER SUCCULENTS  
Retail Price List No. 3

---

Terms; Cash with order

P-Plant. S-Seedling. G-Graft  
C-Cutting. X-Not Prepaid  
\*-Larger or specimen plants

If we do not list plants you want please write us, as we are constantly acquiring new species and may now have same.

We have hundreds of specimen plants.....Will be glad to quote prices upon request.

We will deliver postpaid, or express prepaid, in the United States only, on orders of \$1.00 and over, except where otherwise stated.

While every effort has been made to properly classify our plants, we do not guarantee nomenclature given to be correct. We have the four volumes of Britton & Rose, (Cactaceae) and are constantly checking up on our plants.

No substitution will be made without advice from customer. Please list extra plants when ordering in case our stock is depleted.

Miniature Gardens---Planted in appropriate pottery. Prices, carefully packed for shipment by express collect, \$1.25, \$1.35, \$1.75, \$2.25, \$3.00, \$4.00, \$5.00, \$6.00 and \$10.00. Approximate weight 10 to 35 pounds.

### CRISTATES

We sometimes have grafted plants of cristates at \$1.00 up, according to size and rarity. Write your wants in cristates.

### **Acanthocereus (Night Blooming)**

<i>honduriensis</i>	C	.35
<i>horridus</i>	C	.35
<i>pentagonus</i>	C	.25

### **Ancistrocactus**

<i>scheerii</i>	P	.15 to .50
-----------------	---	------------

### **Ariocarpus**

<i>fissuratus</i>	P	.25 to .50
<i>furfuraceus</i>	P	1.00 to 3.00
<i>kotschoubeyanus</i>	P	1.00 to 3.00
<i>trigonus</i>	P	1.00 to 3.00

### **Astrophytum**

<i>asterias</i>	P	.25 to 1.00
<i>capricorne</i>	P	.50 to 3.50
<i>myriostigma</i>	P	.25 to 3.00
<i>ornatum</i>	P	.25 to 5.00

### **Aztekium ritterii**

<i>Aztekium ritterii</i>	P	1.00
--------------------------	---	------

### **Bartschella**

<i>schumannii</i>	C	.35
-------------------	---	-----

### **Cactus amoenus**

<i>amoenus</i>	S	.25 up
----------------	---	--------

<i>broadwayii</i>	S	.25 up
-------------------	---	--------

### **Carnegiea**

#### **X gigantea**

<i>X gigantea</i>	P	5.00 up
-------------------	---	---------

### **Cephalocereus**

<i>albispinus</i>	C	1.00 up
<i>arrabidae</i>	C	.50 up
<i>atroviridis</i>	C	1.00 up
<i>chrysacanthus</i>	C	1.00 up
<i>gounellei</i>	C	1.00 up
<i>leucocephalus</i>	C	2.00 up
<i>moritzianus</i>	C	.50 up
<i>nobilis</i>	C	.50 up
<i>*palmeri</i>	C	.50 up
<i>royenii</i>	C	.50 up
<i>senilis</i>	S	.25 up
		P 1.00 up

### **Cereus**

<i>alacriportanus</i>	C	.50 up
<i>bolivianus monstr.</i>	C	1.00 up
<i>caesius hybrid</i>	C	.50 up
<i>*X caesius monstrosus</i>	C	1.00 up
<i>childsii (red flower)</i>	C	1.00 up
<i>dayamii</i>	C	.50 up
<i>hexagonus</i>	C	.50 up
<i>hildmannianus</i>	C	.50 up
<i>inermis</i>	C	.50 up
<i>jamacaru</i>	C	.50 up
<i>microspermus</i>	C	1.00 up



## Echinopsis (Cont'd)

* <i>multiplex</i> .....	C	.15	up
<i>quehlii</i> .....	C	.25	up
<i>rhodotricha</i> .....	C	.50	up
<i>ritteri</i> .....	C	.25	up
<i>rotheri</i> .....	C	.25	up
<i>schelhasei</i> .....	C	.25	up
<i>triumphans</i> .....	C	.25	up
* <i>tubiflora</i> .....	C	.15	up
* <i>turbinata</i> .....	C	.15	up
<i>variabilis</i> .....	C	.25	up
* <i>wilkensii</i> .....	C	.25	up
<b>Escobaria</b>			
<i>runyonii</i> .....	P	.15	to .50
<b>Ferocactus</b>			
<i>acanthodes</i> .....	P	.50	to 1.00
<i>alamosanus</i> .....	P	1.00	
<i>flavovirens</i> .....	C	1.00	
<i>glaucescens</i> .....	S	.35	to .50
<i>hamatacanthus</i> .....	P	.35	to 2.50
<i>latispinus</i> .....	S&P	.25	to 1.50
<i>rafaelense</i> .....	P	.50	up
<i>wislizeni</i> .....	P	1.00	up
<b>Gymnocalycium</b>			
<i>baldianum</i> .....	C	.50	up
<i>denudatum</i> .....	C	.50	G 1.00 up
<i>mihanovichii</i> .....	P	.75	
<i>netrelianum</i> .....	C	.35	G 1.00 up
<b>Hamatocactus</b>			
<i>setispinus</i> .....	P	.15	to .50
<b>Harrisia</b>			
<i>aboriginum</i> .....	C	.25	to 1.00
<i>bonplandi</i> .....	C	.25	to 1.00
<i>brookii</i> .....	C	.25	to 1.00
<i>eriophora</i> .....	C	.25	to 1.00
<i>fragrans</i> .....	C	.25	
<i>jusbertii</i> .....	C	.35	to 1.00
<i>martinii</i> .....	C	.15	to .50
<i>pomanensis</i> .....	C	.35	to 2.50
<i>tortuosa</i> .....	C	.35	to 1.00
<b>Homalocephala</b>			
<i>texensis</i> .....	P	.25	to 1.00
<b>Hylocereus</b>			
<i>costaricensis</i> .....	C	.25	up
<i>guatemalensis</i> .....	C	.25	up
<i>lemairei</i> .....	C	.25	up
<i>ocamponus</i> .....	C	.50	up

### **Hylocereus (Cont'd)**

<i>trigonus</i> .....	<b>C</b>	<b>.25 up</b>
<i>triangularis</i> .....	<b>C</b>	<b>.25 up</b>
<i>undatus</i> .....	<b>C</b>	<b>.25 up</b>
<i>venezuelensis</i> .....	<b>C</b>	<b>.25 up</b>

### **Lemaireocereus**

<i>beneckeii</i> .....	<b>C</b>	<b>.50 to 3.00</b>
<i>dumortieri</i> .....	<b>C</b>	<b>1.00 to 3.00</b>
<i>hollianus</i> .....	<b>C</b>	<b>.50 to 5.00</b>
<i>hystrix</i> .....	<b>C</b>	<b>1.00 to 2.00</b>
<i>pruinosus</i> .....	<b>C</b>	<b>.50 to 3.00</b>
<i>stellatus</i> .....	<b>C</b>	<b>.50 to 3.00</b>
<i>treleasei</i> .....	<b>C</b>	<b>1.00 to 5.00</b>
<i>X-weberi</i> .....	<b>C</b>	<b>2.50 up</b>

### **Leptocereus**

<i>grantianus</i> .....	<b>C</b>	<b>.50 to 1.50</b>
<i>quadricostatus</i> .....	<b>C</b>	<b>.50 to 1.00</b>

**Lobivia aurea, backbergii, boliviensis, cinnabarina, famatimensis, mistiensis, psuedocachensis, saltensis, and others. Occasional grafts available. Write for prices.**

### **Lophocereus**

<i>australis</i> .....	<b>C</b>	<b>.50 to 5.00</b>
<i>gatesii</i> .....	<b>C</b>	<b>.50 to 1.50</b>
<i>sargentianus</i> .....	<b>C</b>	<b>.50 to 1.00</b>
<i>schottii</i> .....	<b>C</b>	<b>.50 to 3.00</b>
<i>schottii</i> monstrose.....	<b>C</b>	<b>1.00 up</b>

### **Lophophora**

<i>williamsii</i> .....	<b>P</b>	<b>.15 to 1.00</b>
-------------------------	----------	--------------------

### **Malacocarpus**

<i>erinaceus</i> .....	<b>G</b>	<b>1.00</b>
<i>lenninghausii</i> .....	<b>G&amp;P</b>	<b>.75 to 5.00</b>
<i>ottonis</i> .....	<b>G</b>	<b>1.00 up</b>
<i>submammulosus</i> .....	<b>S</b>	<b>.25</b>

### **Mediocactus**

<i>coccineus</i> , variety <i>setaceus</i> .....	<b>C</b>	<b>.35 to 1.00</b>
---	----------	--------------------

### **Monvillea**

<i>cavendishii</i> .....	<b>C</b>	<b>.35 to 1.00</b>
<i>insularis</i> .....	<b>C</b>	<b>1.00</b>
<i>lauterbachii</i> .....	<b>C</b>	<b>.50 to 1.00</b>
<i>marmorata</i> .....	<b>C</b>	<b>.50 to 1.00</b>
<i>spegazzinii</i> .....	<b>C</b>	<b>.50 to 1.00</b>

### **Myrtillocactus cochal**

<i>geometrizans</i> .....	<b>C</b>	<b>.25 to 2.00</b>
---------------------------	----------	--------------------

## Neomammillaria

candida	P 1.00 to 1.50
celsiana	P .50 up
camptotricha	P .35 to 1.50
chinocephala	P 1.50 to 2.00
*compressa	P .50 to 3.50
*compressa angularis	P 1.00 to 2.50
elegans	P 1.00 to 2.50
elongata	P .35 to 1.00
gigantea	P 1.00 to 2.00
hahniana	P 1.00 to 1.50
herrerae	P 1.00
heyderii	P .15 to 1.00
klissingiana	P 1.00 to 2.00
magnimamma	P .25 to 3.00
mazatlanensis	C .50
melanocentra	P 1.00 to 3.00
multiceps	P .15 to .50
mystax	P 1.00 to 2.00
parkinsonii	P 1.00 to 5.00
petterssonii	P 1.00 to 2.00
plumosa	P .35 to 1.00
psuedoperbella	P 1.00 to 3.00
psuedorekoi	C .50 to 1.00
rhodantha	P 1.00 to 2.00
sempervivi	P 1.00 to 2.00
sinaloensis	C .50
sphacelata	C .50
spinosissima	P 1.00
winteriana	P 1.00 to 3.00

## Nopalea

auberii	C .15
cochenillifera	C .15
dejecta	C .15
brittonii	C .15
inaperta	C .15
karwinskiana	C .25

## Nyctocereus

serpentinus	C&P .25 to 1.50
-------------	-----------------

## Obregonia

denegrii	P 1.00 to 2.00
----------	----------------

## Opuntia

aurantiaca	macrocalyx
bigelovii	microdasys
fulgida	opuntia
grandiflora	prolifera
imbricata	retrorsa

**Opuntia (cont'd)**

<i>kleiniae</i>	<i>rufida</i>
<i>leptocaulis</i>	<i>tomentosa</i>
<i>mamillata</i>	<i>vulgaris</i> var.

All above cuts .15 each

**Opuntia**

<i>burrageana</i>	<i>ficus indica</i>
<i>ciribe</i>	<i>lubrica</i>
<i>clavellina</i>	<i>linguaforme</i>
<i>evansiana</i>	<i>pilifera</i>

All above cuts .25 each

**Oreocereus**

<i>celsiana</i> var.	
<i>brunneowii</i>	G 1.50 up

**Pachycereus**

<i>marginatus</i>	C .50 to 5.00
<i>pecten aboriginum</i>	C 1.50 to 5.00
* <i>pringlei</i>	S&P .50 to 9.00

**Pereskia**

<i>chapistle</i>	C .25 to 1.00
------------------	---------------

**Rathbunia**

<i>alamosensis</i>	C .50 to 3.00
--------------------	---------------

**Selenicereus**

<i>brevispinus</i>	C .25 to 1.00
<i>macdonaldiae</i>	C .25 to 1.00
<i>pteranthus</i>	C .25 to 1.00
<i>spinulosus</i>	C .25 to 1.00
<i>vagans</i>	C .25 to 1.00

**Thelocactus**

<i>bicolor</i>	P .15 to .50
----------------	--------------

**Trichocereus**

<i>candicans</i>	C 1.00 to 3.00
<i>cuzcoensis</i>	C 1.00
* <i>huascha</i>	C .50 to 1.50
<i>pachanoi</i>	C .50 to 3.00
<i>spachianus</i>	C .25 to 2.00

**Wilcoxia**

<i>posei</i>	P .50 to 1.00
--------------	---------------

**OTHER SUCCULENTS****Agave**

<i>americana</i>	
<i>variegata</i>	P .25 up
<i>decipiens</i>	P .25 to 1.00
<i>nickelsae</i>	S .25 to 1.00

**Aloe**

<i>arborescens</i>	P	.25 up
<i>beguinii</i>	P	.25 to 1.00
<i>brevifolia</i>	P	.15 to 1.00
<i>ciliaris</i>	C	.15
<i>commutata</i>	P	.15 to 1.00
<i>distans</i>	P	.25 to 1.00
<i>eru</i>	C	.50 to 1.50
<i>heteracantha</i>	P	.35 to 1.00
* <i>marlothii</i>	P	1.00 up
<i>nobilis</i>	P	.25 to .75
<i>parvibracteata</i>	P	.25 to 1.00
<i>spinosissima</i>	C	.50 to 1.50
<i>vera</i>	P	.15 to 2.00

**Caralluma**

<i>lutea</i>	P	.15 to .50
--------------	---	------------

**Ceropegia**

<i>sandersonii</i>	C	.25 to .50
<i>woodii</i>	P	.15 to .35

**Crassula**

<i>lycopodioides</i>	P	.15 to .25
<i>monticola</i>	P	.15 to .35
<i>perforata</i>	P	.15 to .50

**Echeveria**

<i>runyonii</i>	P	.25 to .50
<i>elegans</i>	P	.25 to .50
<i>setosa hybrid</i>	P	.25 to .50
<i>pulvinata</i>	C	.15 to .50
<i>orpetii</i>	P	.25 to .50
<i>elegans hybrid</i>	P	.25 to .50

**Euphorbia**

<i>ammak</i>	C	.50 up
<i>ammak hybrid</i>	C	.50 to 5.00
<i>canariensis</i>	C	.50 to 1.00
<i>coerulescens</i>	C	.35 to 1.00
<i>echinus</i>	C	.25
<i>franckiana</i>	C	.25 to 1.00
<i>grandicornis</i>	C	.50 to 3.00
<i>grandidens</i>	C	.25 to .50
<i>hermentiana</i>	C	.35
<i>ingens</i>	C	.50 to 2.00
<i>lactea</i>	C	.15 to 1.00
* <i>lactea cristata</i>	P	.50 to 2.00
<i>neriifolia</i>	C	.50 to 2.00
<i>officinarium</i>	C	.50 to 1.00
<i>psuedocactus</i>	C	.25 to .75
<i>triangularis</i>	C	.25 to .75

**Gasteria**

<i>angulata</i>	P	.25	to	.50
<i>brevifolia</i>	P	.25	to	.50
<i>cheillophylla</i>	P	.35	to	1.00
<i>columbrina</i>	P	.25	to	.75
<i>disticha angulata</i>	P	.25	to	.50
<i>echinata glauca</i>	P	.25	to	1.00
<i>glabra</i>	P	.50		
<i>maculata</i>	P	.25	to	.75
<i>minima</i>	P	.25	to	.50
<i>marmorata minima</i>	P	.25	to	.50
<i>nitida</i>	P	.50		
<i>planifolia</i>	P	.35	to	.75
<i>pulchra</i>	P	.25	to	1.00
<i>scaberrima</i>	P	.25	to	1.00
<i>trigona</i>	P	.25	to	1.00
<i>verucuosa</i>	P	.15	to	.50

**Haworthia**

<i>attenuata</i>	P	.25	to	.50
<i>cassytha</i>	P	.35		
<i>coarctata</i>	P	.15	to	.75
<i>cymbiformis</i>	P	.15	to	1.00
<i>denticulata</i>	P	.50	to	1.00
<i>fasciata</i>	P	.25	to	1.00
<i>glabrata concolor</i>	P	.15	to	1.00
<i>margaretfiera</i>	P	.15	to	.75
<i>psuedorigida</i>	P	.25	to	.50
<i>radula</i>	P	.25	to	.75
<i>rigida</i>	P	.25	to	.50
<i>tesselata</i>	P	.25	to	.75
<i>viscosa</i>	P	.25	to	.50

**Huernia**

<i>penziggii</i>	P	.15	to	.50
<i>pillaasii</i>	P	.25		
<i>schneideriana</i>	P	.15	to	.50

**Kalanchoe**

<i>daigremontianum</i>	P	.15	to	.35
<i>fedtschenkoi</i>	P	.15	to	.50
<i>marmorata</i>	C	.25	to	.50
<i>somaliensis</i>	C	.15	to	.50
<i>tubiflora</i>	P	.15	to	.50
<i>houghton hybrid</i>	P	.15	to	.50

**Kitchingia**

<i>beharensis</i>	P	.25	to	1.00
<i>mandrakensis</i>	P	.25	to	1.00

**Lenophyllum**

<i>texanum</i>	P	.15	to	.25
----------------	---	-----	----	-----

<b>Manfreda</b>	
<i>maculosa</i>	P .25 to .50
<i>variegata</i>	P .50 to 1.00
<b>Sedum</b>	
<i>adolphi</i>	P .15 to .35
<i>guatemalense</i>	P .15 to .35
<b>Stapelia</b>	
<i>bufonia</i>	P .15 to .25
<i>gigantea</i>	P .25 to 1.00
<i>hirsuta</i>	P .15 to .50
<i>variegata</i>	P .15 to .35

Miniature garden assortment, mixed cacti and other succulents; 6 plants for 6 inch pot or receptacle of same diameter \$1.00; 10 plants for 8 inch pot \$1.50; 15 plants for 10 inch pot \$2.25; 20 plants for 12 inch pot \$3.00; 25 plants for 14 inch pot \$3.75; 30 plants for 16 inch pot \$4.50.


Mixed cacti seed 15 cents per packet.

Join the Cactus & Succulent Society of America--Membership and subscription to the Journal, published monthly, \$3.00 per year----Address Box 101, Pasadena, California.

Our garden is located the same distance from Edinburg, Alamo and San Juan, and any Filling Station at these points will give directions for reaching same.



**—From—**  
**PIRTLE'S CACTUS GARDEN**  
**J. R. PIRTLE & SONS**  
**EDINBURG, TEXAS.**



**To**

**U. S. DEPARTMENT OF AGRICULTURE**

**OFFICIAL BUSINESS**

**PENALTY FOR PRIVATE USE TO AVOID  
PAYMENT OF POSTAGE, \$300**

**GPO**

**LIBRARY**

**U. S. Department of Agriculture**

**Washington 25, D. C.**